

ARMORWIRE™

Product Manual

Release 06/20



ARMORWIRE™ Cable Barrier TL-3 & TL-4 System

TABLE OF CONTENTS

1.0	Armorwire TL-3 Introduction.....	3
2.0	Armorwire TL-4 Introduction.....	3
3.0	Limitations and Warnings	4
4.0	Geotechnical Warning	4
5.0	Design Considerations.....	5
6.0	System Design.....	5
7.0	Special Circumstances	10
8.0	Parts Identification	11
9.0	Bill of Materials.....	12
10.0	Installation Preparation	12
11.0	Installation Instructions	13
12.0	Installation Examples.....	20
13.0	Maintenance and Repair.....	21
14.0	Installation Checklist	22

APPENDIX – TECHNICAL DRAWINGS

15.0	Armorwire - Line Post Set Up.....	23
16.0	Armorwire TL-3 & TL-4 - Cable Heights	24
17.0	Standard Armorwire Terminal End (3 Cable)	25
18.0	Universal Armorwire Terminal End (4 Cable).....	26



ArmorZone®, Armorflex® and Valmont Highway™ are trademarks of Valmont Industries.

1.0 ARMORWIRE™ TL-3 INTRODUCTION

Armorwire TL-3 is a high tension cable barrier consisting of unique 'oval' shaped steel posts. Slots within the posts house the 3 barrier cables at the required height and each post has a concrete footing.

The system has been designed and tested to meet the evaluation criteria of NCHRP 350 Test Level 3 (TL-3) for a longitudinal barrier.

It is recommended that the 3 cable Armorwire barrier is anchored using the Universal Armorwire Terminal End (A.T.E) which has been accepted to NCHRP 350 TL-3, or at least anchored using a standard non-tested terminal.

1.1 System Overview

Armorwire TL-3 cable barrier is designed and constructed to provide acceptable structural adequacy, minimal occupant risk and safe trajectory as set forth in NCHRP 350 for longitudinal barriers.

When impacted with an 820kg and 2000kg vehicle at speeds of 100kph and side on entry angles up to 25 degrees, the impacting vehicle is re-directed in a safe manner.

2.0 ARMORWIRE™ TL-4 INTRODUCTION

Armorwire TL-4 is a high tension cable barrier consisting of unique 'oval' shaped steel posts. Slots within the posts house the 4 barrier cables at the required height and each post has a concrete footing.

The system has been designed and tested to meet the evaluation criteria of NCHRP 350 Test Level 4 (TL-4) for a longitudinal barrier.

It is recommended that the 4 cable Armorwire barrier is anchored using the Universal Armorwire Terminal End (A.T.E) which has been accepted to NCHRP 350 TL-3, or at least anchored using a standard non-tested terminal.

2.1 System Overview

Armorwire TL-4 cable barrier is designed and constructed to provide acceptable structural adequacy, minimal occupant risk and safe trajectory as set forth in NCHRP 350 for longitudinal barriers.

When impacted with an 820kg, 2000kg and 8000kg vehicle at speeds of up to 100kph and side on entry angles up to 25 degrees, the impacting vehicle is re-directed in a safe manner.



3.0 LIMITATIONS AND WARNINGS

Armorwire cable barriers have been rigorously tested and evaluated per the evaluation criteria in the NCHRP 350 guidelines for a longitudinal barrier. The impact conditions recommended in NCHRP 350 are intended to address typical in-service collisions.

Armorwire barriers allow an impacting vehicle to be re-directed in a safe and predictable manner under the NCHRP 350 impact conditions. It is imperative that the system is installed as per manufacturers' specification.

Vehicle impacts that vary from the NCHRP 350 impact conditions described for longitudinal barriers may result in significantly different results than those experienced in testing. Vehicle impact characteristics different than, or in excess of, those encountered in NCHRP 350 testing (weight, speed and angle) may result in system performance that may not meet the NCHRP 350 evaluation criteria.

3.1 Before Installation

Design, selection and placement of the Armorwire must be in accordance with the Road Controlling Authority's guidelines and the details shown in the construction drawings. Installation must be in accordance with the installation instructions supplied for this product.

Note: Concrete foundations will have to be designed by a local geotechnical engineer if soil conditions on site do not meet the required level described in the manual.

Depending on the application, post spacing and conditions on site, installation and assembly of the system should take a 3 person crew less than 4 hours to cast the piles, install the posts and place the cables for a 100m section.

Armorwire is a highly engineered safety device made up of a relatively small number of parts. Before starting installation ensure that one is familiar with the make up of the system.

3.2 Safety Statements

General Safety

- All required traffic safety precautions should be complied with. All workers should wear required safety clothing. (Examples, and not limited to, include: high visibility vests, steel capped footwear, gloves etc.)
- Only authorised trained personnel should operate any machinery. Where overhead machinery is used, care must be taken to avoid any overhead hazards.
- Before drilling or excavation always ensure that the area is clear of underground services. (The appropriate service providers may need to be contacted)

Armorwire Safety Statements

- All installers must be well clear of drilling or excavating machinery operating.
- The cable and reel are extremely heavy so it is recommended that the cable is run out from a single axis spindle. Do not place hands or fingers in or around moving parts.
- Only trained personnel can use the tensioning machine. All installers must be extremely careful they are clear of moving parts when the machine is being operated.

4.0 GEOTECHNICAL WARNING

The Armorwire™ line post concrete foundations require sufficient strength from the supporting soil and guidelines contained within this manual on foundation sizes relate specifically to the corresponding soil strength. If it is determined that soil conditions on site do not meet or exceed these requirements, alternative size foundations must be designed by a local geotechnical engineer for use at that location.



5.0 DESIGN CONSIDERATIONS

5.1 Curves

Horizontal – If temperatures can reach as low as zero degrees Celsius, the minimum allowable curve is 150m radius.

Note: Post spacing and concrete footings sizes will need to be determined to accommodate a radius this tight. For all further assistance contact your nearest Armorwire distributor.

Vertical – Minimum allowable vertical sag radius is 2400m. This maximum does not apply to crests of hills.

In environments where sand accumulation problems exist and the barrier is installed at radii less than 150m a nominal 5kN tension is sufficient.



5.2 Slopes

A maximum slope of 10:1 is preferable. On slopes greater than this, advice should be followed from the Road Controlling Authority's guidelines.

5.3 Curbs

As with all road side safety hardware, Armorwire has been designed and tested so the centre of gravity of the impacting vehicle is a constant height in relation to the system. For this reason, it is preferred that curbs or channels are not in front or behind the barrier as they will result in altering the height of the vehicle at impact. If there is no option but to install near a curb advice should be followed from the Road Controlling Authority's guidelines.

5.4 Undulating Ground Conditions

Site specific grading may be necessary to ensure that there are no 'humps' or 'hollows' that may significantly alter the impacting vehicles stability or substantially alter the cable heights in relation to the ground.

5.5 Ditches

If the slope of the ditch is greater than 10:1 then follow the Road Controlling Authority's guidelines.

6.0 SYSTEM DESIGN

6.1 Median and Roadside Applications

The Armorwire cable barrier can be impacted from either side of the post with no difference in performance. Therefore the barrier can be used in both median and roadside situations in either orientation as long as the slot arrangement is consistent.

6.2 Barrier Length

Minimum – Is 25m and represents the distance between the upstream and downstream Length of Need (LoN) of the terminal ends. i.e. excludes the 8m of Universal Armorwire terminal end cable at either end.

Note: A shorter barrier may not have sufficient length to fully re-direct an errant vehicle.

Maximum – No theoretical limit if the barrier is essentially straight in both horizontal and vertical alignment and tensioned as required. However, when a barrier is impacted, the ability of the barrier to resist subsequent impacts before repair is not guaranteed. For this reason, Armorwire is recommended to be limited to a maximum of 1200m between terminal trigger posts.

For all further assistance on how to tension long installations correctly, contact your nearest Armorwire distributor.



6.3 Flare Rate

The maximum flare rate allowed is 30:1 measured from the tangent.

6.4 Terminal End Treatments

The Armorwire cable barrier is terminated using the Armorwire terminal end (ATE) or suitable standard anchor.

6.5 Transitions

Transitions from Armorwire to other types of barriers are possible and details are available on request. Please contact your nearest Armorwire distributor.

6.6 Intermediate Anchors

It is recommended that an Armorwire barrier is limited to 1200m in length and that intermediate anchor set-ups are utilised when a barrier greater than 1200m is required.

To create an intermediate anchor, simply overlap one Armorwire barrier run with the next, a minimum 300mm gap between the barriers is required.

6.7 Batter Hinge Point

NCHRP 350 recommends that the lateral extent of the soil, outside an envelope of the embedded portion of the test article, be approximately 1.3 times the embedment length. This is so that the foundations have sufficient support during impact to resist movement.

ie: If the Armorwire footing is 300mm ϕ by 750mm deep, it will require a minimum of 1 metre supporting soil outside the line of posts. (shown in Figure A)

If the batter hinge point is reduced to only 600mm, the 300mm ϕ pile will need to increase to a depth of 1000mm. (shown in Figure B) (MGL 15 Sept 2006 – Post Foundation Under Later Load)

Note: These are examples only and based on a particular soil type. It may be required that a specific foundation will need to be designed by a local geotechnical engineer.




Figure A




Figure B

6.8 Length of Need (LoN)

The Length of Need (LoN) for an Armorwire cable barrier connected to a Universal A.T.E is at post #5, where post #1 is the 'trigger' post. Posts #2 - #5 are always at 2m spacing; therefore the LoN is 8m from the 'trigger' post (shown in Figure D).

Note: As per the LoN design section of the Road Controlling Authority's guidelines, care must be taken when calculating the actual length of the barrier required versus the theoretical length of the LoN. The physical placement of the Universal A.T.E must be with post #5 positioned at the LoN.

6.9a Deflections

Deflection measurements from actual crash testing can be useful when assessing a products suitability to perform as required at a given location. The below distance measurements are from NCHRP 350 compliance testing on the 3 and 4 cable systems respectively.

Note: The greatest impact severity of all tests at TL-3 & TL-4 is the test involving the 2000P vehicle. This is test 3-11 or 4-11, which are the exact same test.

Results from Test 3-11 (NCHRP 350) are the published TL-3 Deflection.

TL-3 Deflection Results

Test 3-11

2000kg pickup truck, 100kph at 25 degrees
NCHRP 350 TL-3

Post Spacing	Dynamic Deflection	Working Width
3.0m	1.54m	1.54m
Post Spacing	Dynamic Deflection	Working Width
9.0m	3.27m	3.27m

TL-4 Deflection Results

Test 4-12

8000kg truck, 80kph at 15 degree angle
NCHRP 350 TL-4


Post Spacing	Dynamic Deflection	Working Width
3.0m	1.10m	2.15m



6.9b Interpolation of Results

When two identical tests are run on a cable barrier with different post spacing it is acceptable (FHWA) to interpolate the results so deflection measurements at other post spacing's can be known. (The results and interpolation of the two actual 2000P tests are shown below).

Post Spacing (m)	Deflection (m)
3	1.54*
4	1.83
5	2.12
6	2.41
7	2.69
8	2.98
9	3.27*



*Actual deflections from NCHRP 350 testing

Note: Deflection is influenced by cable temperature, post spacing, soil stability, barrier length and barrier curvature. Consequentially, allowance should be made for barriers to deflect more than that shown during one particular test. The deflection listed above should only be used as an indication of what deflection measurement to expect.

6.10 Line Post Foundation Piles

For the line post foundation pile to provide the required support to the post during vehicle impact, and have sufficient strength to resist movement, it relies on the design of the concrete foundation and the surrounding soil conditions on site. Soil conditions have different characteristics that will affect the strength of the concrete foundation and accordingly Armorwire has a range of foundations options which allow for economical construction, while still maintaining the performance levels required.



If soil conditions on site do not meet or exceed the required strength detailed in this manual, site specific foundations must be designed by a local geotechnical engineer.

Note: All technical information required to assist in designing a site specific foundation is available from your Universal A.T.E distributor as a Foundation Assistance Package.T

Three foundation options are available in this manual; the soil conditions that exist on site will determine which ones can be used.

Note: Foundation piles can be pre-cast but special attention must be made that adequate soil compaction is achieved after placement. For further information contact your nearest Armorwire distributor.

OPTION 1



To use Option 1 the tested soil condition must meet or exceed the strength detailed in Table 1 below.

Cohesive Soils		
Soil Type	Description Su (kpa)	Foundation Pile Depth
Firm – Stiff	50 - 75	300mm ø x 900mm
Cohesionless Soils		
Soil Type	Description Su (kpa)	Foundation Pile Depth
Dense – Medium Dense	30 - 41	300mm ø x 900mm

(G&A 24 Feb 2011 # 0778202901/10L)

The post socket and rebar ring must be cast into concrete foundation piles with the following dimensions. The augured holes for this option are 300mm diameter by 900mm deep and filled with 25mpa concrete. (Theoretical volume 0.064m³).

OPTION 2



To use Option 2 the tested soil condition must meet or exceed the strength detailed in Table 2 below.

Cohesive Soils		
Soil Type	Description Su (kpa)	Foundation Pile Depth
Stiff – Very Stiff	75 - 125	300mm ø x 750mm
Cohesionless Soils		
Soil Type	Description Su (kpa)	Foundation Pile Depth
Very Dense	> 41	300mm ø x 750mm

(G&A 24 Feb 2011 # 0778202901/10L)

Note: The post socket and rebar ring must be cast into concrete foundation piles with the following dimensions. The augured holes for this option are 300mm diameter by 750mm deep and filled with 25mpa concrete. (Theoretical volume 0.053m³)

OPTION 3



To use Option 3 the tested soil condition must meet or exceed the strength detailed in Table 3 below.

Cohesive Soils		
Soil Type	Description Su (kpa)	Foundation Pile Depth
Very Stiff	101 - 125	450mm ø x 600mm
Cohesionless Soils		
Soil Type	Description Su (kpa)	Foundation Pile Depth
Very Dense	> 41	450mm ø x 600mm

(G&A 24 Feb 2011 # 0778202901/10L)

The post socket and rebar ring must be cast into concrete foundation piles with the following dimensions. The augured holes for this option are 450mm diameter by 600mm deep and filled with 25mpa concrete. (Theoretical volume 0.95m³).

6.11 Tension Bays

Tension Bays are required every 450m, or as often as is necessary to correctly tension the system. When positioning the strong back brackets, care must be taken to cut the cables mid-span between the posts so that they are offset to each other.

Note: Do not place two strong backs within 30m of each other when on the same cable.

6.12 Tension

It is important that when tensioning the Armorwire that the tension machine is set to make allowance for the temperature at the time of installation.

A tension machine is usually pre-set so advice should be sought on all installations from your Armorwire distributor.

Note: Temperature refers to air temperature.

Temp (°C)	Tension (kN's)
0-3	32
4-9	30.5
10-14	28.5
15-20	26.5
21-26	25

Temp (°C)	Tension (kN's)
26-32	23.2
33-37	21.5
38-43	19.5
44-49	18.2
50-54	16.8
55-60	15.2



Do not tension a barrier for at least 7 days after the foundation piles have been cast.

Note: As with all cable barrier systems it is recommended that 2 weeks after the barrier is tensioned for the first time, it should be re-tensioned to remove 'construction creep'. It is also recommended that the tension on the cables is checked after impacts.

7.0 SPECIAL CIRCUMSTANCES

7.1 Trapped Vehicles

If a vehicle is entrapped in the cables it may be causing greater tension than would otherwise be present. Follow the instructions below before cutting cables.



Do not cut cables that are under any tension.

7.1a De-tensioning Cables (with a Tension Machine)

Best practice is to release the tension fully from each cable using the tension machine at the tension bays. (process outlined on page 22 of this manual).

7.1b De-tensioning Cables (without a Tension Machine)

If a tension machine is not available it is possible to release the tension at a tension bay using a ring spanner to unwind the nuts from the cable grips within the strong back bracket.

Note: When using either method a tension bay on either side of the trapped vehicle must be de-tensioned. If there is not a tension bay on either side of the trapped vehicle, de-tension all the cables at the tension bay available first. Then move the trapped vehicle in the direction of the terminal end until the remaining tension in the cables is removed sufficiently.

Only then, once the cable barrier is fully de-tensioned on each side of the vehicle, can the cables be cut using appropriate cutting equipment and the vehicle removed.

Re-instate the barrier as per the installation instructions contained in this manual.

7.2 Emergency Access

Armorwire cable barrier can easily be lowered to the ground by removing an adequate length of cable housed in the posts. After the posts are removed from the sockets in this area, a 'gate' is formed and vehicles can pass to the other side of the barrier. There is no need to de-tension the system and no machinery or lifting devices are required to perform this task.

7.2a To Decommission

- Remove the plastic caps from 20-40 posts. (amount will vary due to conditions on site)
- By hand lift the cables out of the slots at each post in the intended 'gate' area. When removed from a sufficient number of posts the cables will lower to the ground and create a 'gate' in the system where vehicles can ride safely over the barrier cables.
- Remove and store the posts from the sockets in the 'gate' area so the vehicles have unrestricted access to the other side.

7.2b To Reinstall

- Place the posts back into the sockets making sure that the slot orientation matches.
- Lift each cable and place back to their respective slots making sure that the two bottom cables are under the notches on the side slots.
- Push the caps firmly back into place taking care that the cap sleeves are on the outside of the cables in the side slots.

Note: If the cables are to be removed from the location, the system will need to be de-tensioned.

8.0 ARMORWIRE - PARTS IDENTIFICATION



Line Post



'O' Ring



Cable Grip



Post Socket



Post Cap



Strong Back Bracket



3 Cable Barrier



4 Cable Barrier



Rebar Ring



Optional Swage
Fitting

All steel components used in the Armorwire system are hot dipped galvanized, except the rebar ring which are cast into the concrete piles.

9.0 ARMORWIRE: BILL OF MATERIALS

9.1 Components Required For Each Post

- 1x Galvanised Line Post (powder coating is optional)
- 1x Plastic Cap
- 1x Plastic Socket
- 1x Rebar Ring (not supplied by Valmont)
- 1x Rubber 'O' Ring



10.0 ARMORWIRE: INSTALLATION PREPARATION

10.1 Getting Started

Armorwire cable barrier is designed so that the TL-3 and TL-4 systems have the same post. For all installations, whether median or edge of road locations, start from the last post of the terminal end. The 4 line posts between the terminal end 'trigger' post and the Armorwire cable barrier must always be at 2m spacing.

10.2 Preparation

Before installing an Armorwire cable barrier, ensure that all components required for the system are on site and have been identified. The Armorwire is a highly engineered safety device made up of relatively small number of parts. Before starting installation ensure that one is familiar with the make up of the system. Refer to the Parts Identification and Bill of Materials section in this manual for more information.

Ensure that the area where the Armorwire is to be installed is flat enough so that the ground conditions will not significantly alter the height of the vehicle in relation to the height of the barrier's cables. Minor site grading may be required.

10.3 Soil Conditions

The Armorwire line post foundation pile has been designed to have sufficient strength to remain intact after multiple vehicle impacts. Also it must be able to support the posts which house 3 or 4 cables under tension on horizontal curves up to 150m radius. Therefore it is extremely important that the soil conditions on site have the adequate bearing capacity to support the Armorwire foundation pile.

Refer to the Foundation Options in the System Design section in this manual for more information.

It is recommended that soil tests are carried out at the location the Armorwire is to be installed.



If soil conditions on site do not meet or exceed the required strength detailed in this manual, site specific foundations must be designed by a local geotechnical engineer.

10.4 Tools Required

The tools required to install the Armorwire cable barrier are:

- Drilling or excavating machinery suitable for foundation design
- Concrete trowel or float
- String line, measuring tape and marker pen
- Machinery capable of lifting the cable reel and a single axle spindle
- Cut off saw (generator)
- Tensioning Machine

11.0 ARMORWIRE: INSTALLATION INSTRUCTIONS

11.1 Step 1 – Site Preparation

It is preferred that the Armorwire is installed on flat, level ground with sufficient distance behind the foundation piles as described in the Batter Hinge Point section.



Before drilling or excavation always ensure that the area is clear of underground services.

11.2 Step 2 – Foundation Construction

Excavate or drill the area that the Armorwire posts are to be located as per the foundation option required. (shown in Figure 1 and 2)

All technical information on the 3 foundation options available, or for guidance on site specific foundations design, is located in the System Design section in this manual under Foundation Options.



Do not proceed past this point if the type of foundation required has not been established.

11.3 Step 3 – Construction of a Foundation Pile



Complete all of step 3 before moving to next footing.

Fill the hole to no closer than 100mm from the top with concrete (25mpa), place the rebar ring in the centre. (shown in Figure 3).




Figure 2*



Figure 1*




Figure 3*

* Pile Foundation Option shown for visual representation only.

Fill the remainder of the hole with concrete immediately. (shown in Figure 4).



Figure 4*

Immediately push the socket ('flat' side perpendicular to direction of barrier) into the centre of the footing until the top edge is flush with the concrete (shown in Figure 5).




Figure 5*

Using string lines and levels will aid in correct positioning of the rebar ring and socket.

Note: To prevent the possibility of a socket 'floating' use a stiff mix of concrete or place a post in the socket to ensure the final position will remain as intended (shown in Figure 6).



Figure 6*

At this stage extreme care must be taken to ensure that the sockets will be at the correct height. This guarantees that when the barrier cable are installed, the cable heights will be within the construction tolerance as required in the manufacturer's specification.

Note: Diagrams showing cable heights can be found in the Appendix of this manual.

* Pile Foundation Option shown for visual representation only.

11.4 Step 4 – Installing the Posts

Push the rubber 'o' ring onto the bottom of the post approximately 350mm (shown in Figure 7).

This will prevent debris from building up in the socket which can make removal difficult.

Slide a post into the socket once the concrete has set and adjust the 'o' ring so that it fills the gap between the post and post socket (shown in Figure 8).

Ensure that the posts are aligned so that the orientation of the two slots located on the side of the post are consistent (shown in Figure 9).



Figure 7



Figure 8




Figure 9

11.5 Step 5 – Installing the Cables

Using a truck or trailer fitted with a cable reel frame, run the cables out to the desired length with cables on either side of the posts (shown in Figures 10 & 11).

One or more of the cables may be run out at the same time depending on the installer's equipment (shown in Figures 10 & 11).

For a 3 cable system place the bottom 2 cables into the bottom slots on either side of the post and the top cable into the top slot (shown in Figure 12).

For a 4 cable system place the bottom 2 cables into the bottom slots on either side of the post and the top 2 cables into the top slot (shown in Figure 13).

Ensure that the cables are pushed fully down to the bottom of their respective slots.



Figure 10



Figure 12



Figure 11



Figure 13

11.6 Step 6 – Placing the Post Caps

Slide the cap down the inside of the post and push down until cap is 'hard home' onto the top of the post. (shown in Figure 14)

If using a mallet or similar, make sure that the cap is not damaged in any way.

Ensure that the cap sleeves are on the outside of the 2 cables in the bottom slots (shown in Figure 15).



Figure 14



Figure 15

11.7 Step 7 – Connecting to the Cable Barrier Terminal End

Connect the cables to the terminal end as per the manufacturer's instructions.

The Armorwire Terminal End is the recommended terminal end for Armorwire Cable Barrier. (shown in Figure 16).



Figure 16*

* Pile Foundation Option shown for visual representation only.

11.8 Step 8 – Connecting the Cable Grips

At the desired location, cut the cable using a cut off wheel in a grinder.

Note: Make sure that the cut end of the cable is not frayed.

The cut end of the cable should be then coated with a zinc containing paint and then the last 100mm cleaned with a 'rag' with methylated spirits to remove any oily residue.

Mark the cable with a marker pen 75mm from the cut end (shown in Figures 17 & 18).



Figure 17




Figure 18

Push the end of the cable into the cable grip and 'work in' a few times until hard home and the pen mark is in line with the mouth of the fitting (shown in Figure 19).

Note: It is acceptable for the cable to ease out of the Cable Grip up to 10mm when tensioned. (shown in Figure 20)



If the cable pulls out of the cable grip by more than 10mm after tensioning, detension the cable and refit the cable grip correctly and repeat the process.

Silastic around the cable grip/cable interface at terminal ends.



Figure 19




Figure 20

11.8a Optional Swage Fittings

Refer to Swage Fittings manual for fitment instructions.



Figure 21

11.9a Step 9 – Tensioning the Barrier

Tensioning the barrier is achieved by pulling the cable grips attached to the ends of the cable together using a hydraulic machine. The cable grips can then be secured to the strong back bracket which will hold the tensioned cables together when the machine is released.



Ensure full tension machine training, including safe use, has been completed before operating a tension machine.

Tension Machine and associated training is available from your local Armorwire distributor.

Place cable grips and strong back bracket into the tension machine ensuring that the cable is held by the safety catches. Once all personnel's hands are clear activate the machine so that it extends and pulls the cable grips together (shown in Figure 22).



Figure 22

Note: The tension machine may be pre-set to stop at tension; therefore it may be necessary to adjust the settings on the machine. Refer to Tension in the System Design section in this manual or contact your Armorwire distributor for more information.

Run nuts along the threaded section of the cable grips inside the strong back bracket using a ring spanner until secure (shown in Figure 23).



Figure 23

Activate the tension machine so it contracts and the machine can be lifted from the cable. Repeat Step 9 until all the cables are tensioned.



Keep hands and fingers clear of moving components

11.9b De-Tensioning the Barrier

The barrier can be de-tensioned simply reversing the above procedures as outlined below.

Place tension machine on the cable ensuring that safety catches are in place. Extend the machine slightly which will release the tension on the nuts against the strong back bracket. Using a ring spanner remove the nuts from the cable grip thread. Contract the machine so the tension is released from the cable and remove the tension machine.

12.0 ARMORWIRE – INSTALLATION EXAMPLES



Armorwire TL-3 – 3 Cable Barrier



Armorwire TL-4 – 4 Cable Barrier

13.0 ARMORWIRE: MAINTENANCE AND REPAIR

13.1 Maintenance

Armorwire is a maintenance-free high tension cable barrier. However it is recommended that all cable barrier systems are checked after impacts to ensure that the tension is maintained. Refer to Installation Instructions section in this manual for more information.

13.2 Repair After a Typical Impact

Recommended tool:

- Crow bar

Replacement parts required for an average impact:

- Posts
- Caps

Appropriate safety gear must be used at all times.

1. Remove all damaged caps.
2. Remove and replace all damaged posts with new ones.
Note: Ensure that the 'slots' on the side of the posts match the configuration of the rest of the intact barrier posts.
3. Place the cables back into the appropriate slots.
4. Put new caps onto the posts.
Note: The caps need to be pushed 'hard home' and ensure that the sleeves are on the outside of the 2 cables in the bottom slots.

14.3 Repair After a Non-Standard Impact

If for whatever reason a cable is damaged (any one strand or more are severed) then that cable must be replaced. Refer to Installation Instructions section in this manual for more information.

Note: Do not place two strong backs within 30m of each other when on the same cable.

If the impact was at or near an end anchor, tension may need to be checked and / or the cables re-attached to the Armorwire terminal end. Refer to Installation Instructions section in this manual and the 'Armorwire Terminal End Manual' for more information.

Foundations which are constructed correctly should not move or be damaged in anyway.



14.0 Installation Checklist for Armorwire Cable Barriers

Location:

Installed By:

Date:

Signed:

Inspected By:

Date:

Signed:

TL-3 – 3 Cable Barrier

Ground is level and the top of the pile is flush.	<input type="checkbox"/> Yes	<input type="checkbox"/> No
The plastic socket is cast in correctly and a rebar ring is positioned 100mm down from the top.	<input type="checkbox"/> Yes	<input type="checkbox"/> No
If installed near a steep slope, there is sufficient supporting soil outside the line of the posts in relation to the foundation size.	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Posts are spaced as per the Construction Drawings (1m-9m).	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Posts are installed with slot orientation consistent for the entire length of the barrier.	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Top cable is positioned in the top slot while the bottom 2 cables sit at the bottom of the slots on either side of the post.	<input type="checkbox"/> Yes	<input type="checkbox"/> No
An 'o' ring seal is positioned on all posts at the top of the socket.	<input type="checkbox"/> Yes	<input type="checkbox"/> No
All posts have a plastic cap inserted in the top (ensure each cap sleeve is on the outside of the bottom cables).	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Cable heights, 530mm, 650mm and 770mm (± 25mm).	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Each of the 3 cables has been tensioned correctly.	<input type="checkbox"/> Yes	<input type="checkbox"/> No

TL-4 – 4 Cable Barrier


Ground is level and the top of the pile is flush.	<input type="checkbox"/> Yes	<input type="checkbox"/> No
The plastic socket is cast in correctly and a rebar ring is positioned 100mm down from the top.	<input type="checkbox"/> Yes	<input type="checkbox"/> No
If installed near a steep slope, there is sufficient supporting soil outside the line of the posts in relation to the foundation size.	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Posts are spaced as per the Construction Drawings (1m-3m).	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Posts are installed with slot orientation consistent for the entire length of the barrier.	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Top 2 cables are positioned in the top slot while the bottom 2 cables sit at the bottom of the slots on either side of the post.	<input type="checkbox"/> Yes	<input type="checkbox"/> No
An 'o' ring seal is positioned on all posts at the top of the socket.	<input type="checkbox"/> Yes	<input type="checkbox"/> No
All posts have a plastic cap inserted in the top (ensure each cap sleeve is on the outside of the bottom cables).	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Cable heights, 530mm, 650mm, 770mm and 790mm (± 25mm).	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Each of the 4 cables has been tensioned correctly.	<input type="checkbox"/> Yes	<input type="checkbox"/> No

Disclaimer:


Important Note: The conformity of the installation is the responsibility of the installation contractor, and Valmont Highway accepts no liability for or in connection with any installation that is outside of the specifications of this manual or the Road Controlling Authority. For more information, please refer to our Standard Terms and Conditions of Sale available on our website: www.ingalcivil.com.au.

ARMORWIRE™

15.0 LINE POST SET UP




3 Cables Line Post Set Up*




4 Cables Line Post Set Up*

ARMORWIRE™

16.0 ARMORWIRE TL-3 & TL-4 - CABLE HEIGHTS



TL-3 – Cable Heights*



TL-4 – Cable Heights*

(measured in mm to the centre of the cable, tolerance ± 25 mm)


*Pile Foundation Option shown for visual representation only.

17.0 STANDARD ARMORWIRE TERMINAL END

*Pile Foundation Option shown for visual representation only.

NOTES:

1. CONCRETE TO HAVE A MINIMUM 28 DAY STRENGTH OF 25MPa.
2. THE AVERAGE MATERIAL-INTERNAL ANGLE OF FRICTION OVER THE DEPTH OF THE ANCHOR WHEN MEASURED USING AN APPROVED METHODOLOGY SHALL EXCEED THE FOLLOWING:
 - Angle = 20deg
 - $\gamma = 12\text{kN/m}^3$
 - $C_u = 20\text{kPa}$
3. ALL UNITS ARE IN MM UNLESS NOTED OTHERWISE.



The information herein is proprietary to Armorflex International Ltd. and shall not be disclosed, duplicated or used otherwise without the express written approval of Armorflex International Ltd.

© 2011 Armorflex International Ltd.


				DATE	INIT.
			DRAWN BY		
			APPR'D BY		
A	INITIAL ISSUE				
REV.	CHANGES	DATE			

valmont 
HIGHWAY

SHEET	DRAWING NUMBER	REV.

18.0 UNIVERSAL ARMORWIRE TERMINAL END (4 CABLE)

*Pile Foundation Option shown for visual representation only.



NOTES

valmont

HIGHWAY



Design and Development of Highway Safety Innovations

www.valmonthighway.com

57-65 Airds Road, Minto NSW 2566 1800 251 420 info@valmonthighway.com www.valmonthighway.com